


# RUBY-9716VGAR

Intel® Core 2 Duo processor based ATX Industrial Mainboard with DDR2 SDRAM, VGA, Gigabit Ethernet, Audio and USB



## FEATURES

- Industrial mainboard in ATX form factor that supports all Intel® mainstream desktop processors - Core 2 Duo, Pentium® D, Pentium® 4, Celeron® D processor in LGA-775 package
- Benefits such as Hyper-Threading, EM64T, dual-core, EIST, XD & VT of processor can be easily applied to system by changing processor
- Embedded Intel 4th generation graphics engine that provides better user experience of display performance
- One PCI Express x16 slot features high-end graphics card connection interface or dual independent display with ADD2+ media card that provides TV tuner, video capture in and DVI, TV-out
- One PCI Express x4 slot for storage add-in card which provides reliable and safer data storage with adequate I/O throughput
- One PCI Express x1 and four 32-bit PCI expansion slots for most industrial I/O cards
- Six SATA 300 ports together with one IDE channel and CF socket are perfect meet to storage interface that all kind of applications

## ORDERING GUIDE

### Standard

#### RUBY-9716VGAR

LGA-775 Core 2 Duo processor based Industrial Mainboard with SATA Raid 0, 1, 5, 10 DDR2 SDRAM, VGA, Gigabit Ethernet, Audio and USB

#### RUBY-9716VG2AR

LGA-775 Core 2 Duo processor based ATX Industrial Mainboard with SATA Raid 0, 1, 5, 10 DDR2 SDRAM, VGA, Dual Gigabit Ethernet, Audio and USB

## GENERAL

Processor	CPU & Package: Intel® Core 2 Duo, Pentium® D, Pentium® 4, Celeron® D processor in the LGA-775 package FSB: 1066/800/533MHz
Chipset/Core Logic	Intel® Q965 and ICH8
System Memory	Up to 8GB DDR2 800/667/533 SDRAM on four 240-pin DIMM sockets
BIOS	Award BIOS
Storage Devices	EIDE: Support single EIDE devices with Ultra DMA 100/66/33 SATA: Support six SATA 300 drives
Solid State Disk	One Type II CF socket
Watchdog Timer	Programmable via software from 0.5 sec. to 254.5 min.
Expansion Interface	- Four 32-bit PCI expansion slots - One PCI Express x 4 slot or PCI Express x1 card - One PCI Express x1 slot - One PCI Express x16 slot for graphics card, ADD2/+ card or PCI Express x1 (general purpose) card
Hardware Monitoring	System monitor (fan, temperature, voltage)
Power Requirement	TBA
Dimension	Dimension: 312.8(L) x 243.8(W) / 12.3"(L) x 9.6" (W) PCB: 4-layer
Environment	Operating Temperature: 0 to 50°C Storage Temperature: -20 to 80°C Relative Humidity: 5% to 90%, non-condensing
MTBF	TBA

## I/O

MIO	Four serial (RS-232x3, selectable RS-232/422/485 x1), one at rear I/O panel, one parallel, one FDD channel
IrDA	One IrDA
Ethernet	- Single 10BASE-T/100BASE-TX/1000BASE-T Ethernet - PCI Express x1 interface based Gigabit Ethernet - Single RJ-45 connector with two LED indicators at rear I/O panel
Audio	AC'97 2.3 Audio
USB	Eight USB 2.0 ports (Four ports at rear I/O panel; four ports internal)
Keyboard & Mouse	PS/2 keyboard/mouse at rear I/O panel

## DISPLAY

Graphic Controller	- GMCH integrated Intel® 4th generation Extreme Graphics controller - Integrated Intel Clear Video Technology which provides improved 3D multimedia capabilities including DirectX 9, Shader Model 3.0, OpenGL 1.5, Advanced De-interlacing, MPEG-2 hardware acceleration - Support dual independent display with ADD2/+ card
--------------------	---

Portwell, Inc. Headquarters

3F, No. 92, Sec. 1, Nei-Hu Rd.,  
114 Taipei, Taiwan  
Tel: +886-2-27992020  
Fax: +886-2-27991010  
E-mail: info@portwell.com.tw  
http://www.portwell.com.tw

American Portwell

44200 Christy St.  
Fremont, CA 94538, USA  
Tel: +1-510-403-3399  
Fax: +1-510-403-3184  
E-mail: info@portwell.com  
http://www.portwell.com

Portwell Japan, Inc.

〒101-0042 ShowaKanda Build, 10-2  
Kanda Higashi matsushita-cho  
chiyoda-ku Tokyo Japan  
Tel: +81-3-5298-8071  
Fax: +81-3-5298-8072  
E-mail: info@portwell.co.jp  
http://www.portwell.co.jp

Portwell-Laxsons India

Laxsons House, AA2, Walhat Road,  
Goregaon (E), Mumbai - 400 063,  
Maharashtra, India.  
Tel: +91-22-2685-9911  
Fax: +91-22-2685-9922  
E-mail: info@portwelllaxsons.com  
http://www.portwelllaxsons.com

Beijing Portwell

6F, Building 3, Qunying Zone,  
Chuangye Rd. 8, Shangdi, Haidian  
District, Beijing, China 100085  
Tel: +86-10-82701616  
Fax: +86-10-82700606  
E-mail: info@portwell.com.cn  
http://www.portwell.com.cn

EMCA (UK)

Unit 30, Basepoint Enterprise Centre  
Stroudley Road, Basingstoke,  
Hampshire, RG24 8UP UK  
Tel: +44-1256-406898  
Fax: +44-1256-406889  
E-mail: info@emca.co.uk  
http://www.emca.co.uk

M060601

